# SOUNDS OUT OF PLACE? SCORE INDEPENDENT DETECTION OF CONSPICUOUS MISTAKES IN PIANO PERFORMANCES

Alia Morsi<sup>1</sup>, Kana Tatsumi<sup>2</sup>, Akira Maezawa<sup>3</sup>, Takuya Fujishima<sup>3</sup>, Xavier Serra<sup>1</sup>


<sup>1</sup>MTG, Universitat Pompeu Fabra <sup>2</sup>Nagoya Institute of Technology <sup>3</sup>Yamaha Research Lab

# **Paper Goals**


Build a **score-independent** conspicuous error detector for **standard piano repertoire of beginner to intermediate students.**  Premise

Not all piano performance mistakes are equally salient to a listener [1].

ISMIR 2:02:3



### Concept



# **Data Collection**

### Train Data

- **Sight Reading Data (SR)**: 103 sight reading performances. (379 minutes).
- Performance Data (PF): 245 performances of 3 minutes each (723 minutes).

### **Annotation procedure**

- 2 annotators with music background.
- Asked to only annotate obvious mistakes.

# **Augmentation Strategies**

- Systematic adjustments resembling the mistakes of adult beginner learners were applied to a set of mistake-free performances. (AUG)
- Note mistakes: Omissions, insertions, substitutions
- Stops and hesitations: silences and repetitions of the last played note.

### 60% Error Probability Classification head Backbone Piano-roll Input Classification backbone Classification Classification backbone Classification C

Architecture

# Models

- Baseline: SR and PF data
- **SYNTH:** SR, PF, and AUG

# **Results**

	Method	Precision	Recall	F-measure
-	Baseline	0.79	0.80	0.78
	SYNTH	0.65	0.76	0.69
	CVNITI (ET)	0.61	0.60	0.62

### Eval Eval

• **Burgmüller Data (BM):** 50 performances of from Op 100 (25 recorded twice).

### **Annotation procedure**

- Alignment to music score conducted first.
- 1 annotator with a music background asked to manually review the labels wrt the sheet music and make corrections.

## • SYNTH (FT):

- Pretrain with AUG,
- FT with SR and PF
- AE:
  - Train TCN Autoencoder with data similar to PF
  - Use encoder as classifier backbone, and fine-tune with SR and PF
- **AE+SYNTH:** same as AE, but fine tune with SR, PF, and AUG.

SINII(11)	0.01	0.09	0.02
AE	0.55	0.59	0.55
AE+SYNTH	0.44	0.65	0.51

(a) <b>SR</b> Data							
Method	Precision	Recall	F-measure				
Baseline	0.28	0.46	0.33				
SYNTH	0.27	0.54	0.34				
SYNTH(FT)	0.30	0.61	0.38				
AE	0.28	0.52	0.34				
AE+SYNTH	0.27	0.63	0.36				
(b) <b>PF</b> Data							
		ala					
Method	Precision	Recall	F-measure				
Method Baseline			F-measure 0.26				
	Precision	Recall					
Baseline	Precision 0.26	Recall 0.36	0.26				
Baseline SYNTH	Precision 0.26 0.26	Recall 0.36 <b>0.69</b>	0.26 0.35				
Baseline SYNTH SYNTH(FT)	Precision 0.26 0.26 0.26	Recall 0.36 <b>0.69</b> 0.49	0.26 0.35 0.32				

(c) **BM** Data

[1] B. H. Repp, "The art of inaccuracy: Why pianists' errors are difficult to hear", Music Perception: An Interdisciplinary Journal, vol. 14, p. 161–183, 1996







Nagoya Institute of Technology